

Аксессуары и принадлежности

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bed@nt-rt.ru || сайт: <https://bakerspride.nt-rt.ru/>



F-RS, C-RS, L-RS Charbroiler ACCESSORIES & OPTIONS

	24" Wide models		36" Wide models		48" Wide models		60" Wide models		72" Wide models	
Description	Part #		Part #		Part #		Part #		Part #	
Splash Guards Side Extensions (Stainless Steel)	4M-EXTNS-2		4M-EXTNS-3		4M-EXTNS-4		4M-EXTNS-5		4M-EXTNS-6	
Overhead Backshelf	4M-BKSHF-2		4M-BKSHF-3		4M-BKSHF-4		4M-BKSHF-5		4M-BKSHF-6	
10" Work Deck (Stainless Steel)										
Slip-on Cover (F, C models ONLY)	4M-SLIPONCVR-2		4M-SLIPONCVR-3		4M-SLIPONCVR-4		4M-SLIPONCVR-5		4M-SLIPONCVR-6	
Quick Disconnect Hose	4M-QCKDISC-48		4M-QCKDISC-48		4M-QCKDISC-48		4M-QCKDISC-48		4M-QCKDISC-48	
Smoker-Box w/ shovel (F, C models ONLY)	4M-SMKBOX2		4M-SMKBOX3-4		4M-SMKBOX3-4		4M-SMKBOX5-6		4M-SMKBOX5-6	
Caster Kit (F model ONLY)	4M-FMCSTR2-5		4M-FMCSTR2-5		4M-FMCSTR2-5		4M-FMCSTR2-5		4M-FMCSTR6	
Pan Cut-Outs										
Pan Divider Bar (sold w/ Pan Cut-Outs ONLY)	4M-PANDIV		4M-PANDIV		4M-PANDIV		4M-PANDIV		4M-PANDIV	
Stands with Casters (L Series ONLY)	4M-STND-A-CSTR2		4M-STND-A-CSTR3		4M-STND-A-CSTR4		4M-STND-A-CSTR5		4M-STND-A-CSTR6	
Stands with Casters (C Series ONLY)	4M-STND-C-CSTR2		4M-STND-C-CSTR3		4M-STND-C-CSTR4		4M-STND-C-CSTR5		4M-STND-C-CSTR6	


CH Series Charbroiler ACCESSORIES and OPTIONS

	CH-6		CH-8		CH-10	
Description	Part Number		Part Number		Part Number	
Cast Iron Burners in Lieu of S/S	Contact CC		Contact CC		Contact CC	
Glo-Stones	4M-CH6OPT-05		CH8OPT-05		CH10OPT-05	
Log Holders Each	AS-21882415		AS-21882415		AS-21882415	
S/S Side Splash Guards	M4-H1530S		M4-H1530S		M4-H1530S	
S/S Side Panels Each Side	M4-H1385X		M4-H1385X		M4-H1385X	
Pan Cut Outs Each (Largest size cutout 1/3 pan)	Contact CC		Contact CC		Contact CC	
S/S Heat Shields	4M-T3079V		4M-T3080V		4M-T3081X	
Plate Shelf w/ S/S Work Deck	M4-CH6KIT-3		M4-CH8KIT-3		M4-CH10KIT-3	
4" Deep Water Pans in Lieu of 2"	M4-CH6KIT-10		M4-CH8KIT-10		CH10KIT#10	
Leg Set of 4	4M-S1439Y		4M-S1439Y		4M-S1439Y	
Legs w/ Casters	4M-S115Y		4M-S115Y		4M-S115Y	




GRATES - CH Series Charbroilers


Description	Part Number		
Floating Rods	2F-3106245/2F-3106260 (4 1/2" grates / 6" grates)	In Lieu of standard grates	
Floating Rods	2F-3106245/2F-3106260 (4 1/2" grates / 6" grates)	Additional grates	
Flat/Cast Iron	2F-3106145/2F-3106160 (4 1/2" grates / 6" grates)	In Lieu of standard grates	
Flat/Cast Iron	2F-3106145/2F-3106160 (4 1/2" grates / 6" grates)	Additional grates	
Meat	2F-3106345/2F-3106360 (4 1/2" grates / 6" grates)	In Lieu of standard grates	
Meat	2F-3106345/2F-3106360 (4 1/2" grates / 6" grates)	Additional grates	
Fish - available in 10-1/2" sections only (Not on L, F, and C)	2F-T1166T (10 1/2" wide)	In Lieu of standard grates	
Fish - available in 10-1/2" sections only (Not on L, F, and C)	2F-T1166T (10 1/2" wide)	Additional grates	
Fajita	2F-3106511/2F-3106514 (Top & Bottom)	In Lieu of standard grates	
Fajita	2F-3106511/2F-3106514 (Top & Bottom)	Additional grates	
Griddle Plate - lift off 10 1/2" wide	4M-T1209U		
Griddle Plate - Lift off 16" wide	4M-T1020T		
Griddle Plate - In-line 10 1/2" wide x 24 deep	4M-T1251T	In Lieu of standard grates	
Griddle Plate - In-line 10 1/2" wide x 24 deep	4M-T1251T	Additional grates	
Large Broiler Brush	4M-T5104V		
Glo-Stones	AS-T1049X		
Grate Lifter - Meat & Floating Rd	2R-21880880		
Grate Lifter - Cast Iron	2R-T5041T		




Floating Rods




Flat / Cast Iron



Meat (Diamond Shaped)



Fish



Fajita



Glo-Stones





Electric Countertop Oven Accessories & Options

Description	Part Number		
16" Legs (Stainless) with Casters (Elec countertop ovens)	4N-S1277Y	S/S	
30" Legs (Stainless) with Casters (Elec countertop ovens)	4N-S1423Y	S/S	
S/S Undershelf	4N-C5077X		
Rack Stands w/ Rack Guides (30" Legs must be purchased)	4N-T8085X		
Description	Part Number		
Deck Brush & Scraper (Elec countertop ovens)	4N-T5107Y	Scraper for Countertop Ovens	
Stacking Kits (P22S, P44S, P46S & P48S)	4N-D2069X	P22S, P44S, P46S, P48 & DP2	
Stacking Kits (P18S, P24S)	4N-D3054T	P18, & P24	
Stacking Kits (EP-2828)	4N-C5057X	EP-2828	
Stacking Kits (GP52)	4N-A5173S	GP52	
Brick Lined Kit (P22S)	4N-P22OPT-03	P22 & DP-2	
Brick Lined Kit (P44S)	4N-P44OPT-03	P44	
Brick Lined Kit (DP-2)	Contact CS	DP-2	
Brick Lined Kit (P24S)	N4-P23OPT-03	P24	
Brick Lined Kit (P48S)	N4-P48OPT-03	P48	
Brick Lined Kit (P46S)	N4-P46OPT-03	P46	
Electric Timers with Alarms	Contact CC	15 Minute	
Electric Timers with Alarms	Contact CC	60 minute	



GP Gas Countertop Oven Accessories & Options

Description	Part Number		
16" Legs (Stainless) with Casters	4N-S1242Y	S/S	
30" Legs (Stainless) with Casters	4N-S1252Y	S/S	
S/S Undershelf	4N-T8089X	GP51	
S/S Undershelf	4N-T8088X	GP61	
Standard Flue (GP51 or GP61)	2F-R3103A	N/C with purchase of oven	
Direct Vent Flue Diverter	4N-R3002Y	N/C with purchase of oven	

Thermostats

- Our ovens feature the most reliable thermostats in the industry. Temperatures are accurate to $\pm 5^\circ$ for precision baking. Temperatures range from 284–680°F (140–360°C) on our pizza & pretzel ovens, and from 140–550°F (60–288°C) on our bake & roast ovens.

Electric Timers

- The continuous-ring alarm must be manually shut off, ensuring that products are never forgotten in noisy kitchens. Bake & roast ovens include 60-minute timers; pizza & pretzel ovens have 15-minute timers.

Indicator Lights

- This light stays illuminated while the oven chamber is heating, eliminating the guesswork in pre-heating. The light turns off when the set temperature is achieved.

Reset Breakers

- No need for fuses. Should a power surge occur, breakers are quick and easy to reset.

Top & Bottom Heat Controls


- Precisely control the top and bottom heat in each baking chamber with our optional infinite top and bottom heat controls (DP series only).

COUNTERTOP OVEN CONTROL FEATURES

COUNTERTOP OVEN REPLACEMENT DECKS



Cordierite Replacement Decks				
Oven Model	Part Number			
Replacement Deck (P18S)	AS-T1120Y	2 Stones per Set	1/2" x 17 1/2" x 17 3/4"	
Replacement Deck (P22S, DP-2 & P24S)	4N-T1121X	2 Stones per Set	1/2" x 20 3/4" x 20 3/4"	
Replacement Deck, Top Stones (P22-BL, DP-2BL)	AS-T1120Y Top Stones	2 Stone per Set	1/2" x 17 1/2" x 17 3/4"	
Replacement Deck (P44S)	4N-T1121X	4 Stones per Set	1/2" x 20 3/4" x 20 3/4"	
Replacement Deck, Top Stones (P44-BL)	AS-T1120Y Top Stones	4 Stones per Set	1/2" x 17 1/2" x 17 3/4"	
Replacement Deck (P46S)	AS-T1121Y/4N-T1121X	3 Stones per Set	1/2" x 20 3/4" x 20 3/4"	
Replacement Deck (P48S)	4N-T1121X	2 Stones per Set	1/2" x 20 3/4" x 20 3/4"	
Replacement Deck (EP-1-2828, EP-2-2828)	4N-T1287Y	1 Stone per Set / 2 Stones per Set	3/4" x 27 3/4" x 27 3/4"	
Replacement Deck (GP51)	4N-T1192Y	2 Stones per Set	1" x 20 5/8" x 25 1/4"	
Replacement Deck (GP61)	AS-T1116Y	2 Stones per Set	1" x 29 3/4" x 25 1/4"	
Lightstone Decks				
Oven Model	Part Number			
Lightstone Deck (P24)	AS-T1349Y	1 Stone per Set		
Lightstone Deck (P22S, DP-2)	AS-T1349Y	2 Stones per Set	20 13/16" x 20 13/16" x 1/2"	
Lightstone Deck (P44S)	AS-T1349Y	4 Stones per Set		
Lightstone Deck (P46S)	AS-T1349Y	3 Stones per Set		
Lightstone Deck (P48S)	AS-T1349Y	2 Stones per Set		
Lightstone Deck (GP51)	AS-T1359Y	2 Stones per Set		
Lightstone Deck (GP61)	2F-T1360A	2 Stones per Set		
Lightstone Deck (EP-1-2828, EP-2-2828)	2F-T1362A	1 Stone per Set		
Steel Decks				
Oven Model	Part Number			
Steel Decks*	Consult CS			
* N/C option when ordered in lieu of standard decks - consult factory for field retrofits				



IL Forno Classico Eyebrow Style Exhaust Hoods

Model	Part Number	Exhaust CFM	Static Pressure	Duct Size W x D inches (mm)	Dimensions* W x H x D inches (mm)	Notes	Ship Wt. lb (kg)	
PB-24	FCKIT#3	540	0.75	6 x 7 (152 x 178)	26" x 26" x 25 1/2" (660 x 660 x 648)	for single ovens	100 (46)	
PB-24S	FCKIT#4	540	0.75	6 x 7 (152 x 178)	26" x 26" x 25 1/2" (660 x 660 x 648)	for stacked ovens	100 (46)	

Deck Oven Accessories & Options

Part Number	Description		
R3002Y	Direct Vent Flue	Gas Models Only N/C if purchased with oven	
Contact CC	Automatic Oven Starter	Gas Models only – Order 1 per deck – Comes with 120V plug	
Contact CC	Side Mounted Controls	Specify when ordering – DS-805, Y-600, Y-800 and IL Forno Only	
Contact CC	5-Hour Timer	EB/ER-3836 and 5736 models only – n/a on EP models per deck	
T5149X	Deck Brush & Scraper (T5149X)	48" Long with wood handle	
T5107Y	Deck Brush & Scraper (T5107Y)	2" High for countertop ovens	
A4770U	Natural Woodsmoke Essence Boxes	Stainless Steel wood chip box	

IL Forno Accessories & Options

Part Number	Description		
A4770U	Natural Wood Smoke Essence Boxes	Each Box – Perforated stainless boxes	

Deck Oven Leg Guide

Notes	
Standard Heights	6" (152mm); 12" (305mm); 16" (406mm); 24" (610mm); 30" (762mm); 36" (914mm)
Standard Legs	Standard legs when purchased separately
NOTE: Standard height legs N/C when purchased with oven(s). Specify size when ordering.	

Legs & Casters for Deck Ovens

Part Number	Castors/Legs	
LRGASOPT-02	6" Casters	
S1019Y	6" Legs	
S1089Y	12" Legs w/Casters	
S1018Y	12" Legs	
S1119Y	16" Legs w/Casters	
S1003Y	16" Legs	
S1251T	24" Legs w/Casters	
S1251Y	24" Legs	
S1120Y	30" Legs w/Casters	
S1004Y	30" Legs	
S1407Y	36" Legs w/Casters	



Cordierite (Deck Oven) Replacement Decks								
Oven Model	Part Number	Each/Per Set		Deck Thickness inches	Ceramic Decks Per Oven*	Deck Size inches	Single-piece Ship Weight lb (kg)	SET of Decks* Ship Weight lb (kg)
CORDIERITE DECK (FC-816, Y-800)	T1153Y	Each		11/2	4	22 x 33	88 (30)	260 (118)
CORDIERITE DECKS (FC-816, Y-800)	T1153X	Set (4)						
CORDIERITE DECK (FC-616, Y-600)	T1118Y	Each		11/2	3	20 x 36	83 (41)	270 (123)
CORDIERITE DECKS (FC-616, Y-600)	T1118X	Set 3 Each						
CORDIERITE DECK (FC-516)	T1187Y	Each		11/2	4	18 x 24	64 (29)	253 (115)
CORDIERITE DECKS (FC-516)	T1187X	Set 4 Each						
CORDIERITE DECK (251)	T1104Y	Each		11/2	2	18 x 34 1/2	80 (36)	160 (73)
CORDIERITE DECKS (251)	T1111X	Set 2 each						
CORDIERITE DECK (351)	T1105Y	Each		11/2	2	22 1/2 x 34 1/2	104 (47)	207 (94)
CORDIERITE DECKS (351)	T1112X	Set 2 each						
CORDIERITE DECK (451)	T1104Y	Each		11/2	3	18 x 34 1/2	80 (36)	240 (109)
CORDIERITE DECKS (451)	T1110X	Set 3 Each						
CORDIERITE DECK (151)	T1106Y	Each		11/2	2	18 x 24 1/2	80 (36)	160 (73)
CORDIERITE DECKS (151)	T1113X	Set 2 Each						
CORDIERITE DECK (3151)	T1158Y	Each		11/2	2	22 1/2 x 24 1/2	104 (47)	207 (94)
CORDIERITE DECKS (3151)	T1158X	Set 2 Each						
CORDIERITE DECK (4151)	T1106Y	Each		11/2	3	18 x 24 1/2	80 (36)	240 (109)
CORDIERITE DECKS (4151)	T1149X	Set 3 Each						
CORDIERITE DECK (E-3836)	T1232Y	Each		1	2	19 x 36	60 (27)	120 (55)
CORDIERITE DECKS (E-3836)	T1232X	Set 2 Each						
CORDIERITE DECK (E-5736)	T1232Y	Each		1	3	19 x 36	60 (27)	180 (82)
CORDIERITE DECKS (E-5736)	T1233X	Set 3 Each						
Freight Class 60. Cannot be sent UPS.								

Freight Class 60. Cannot be sent UPS.

Lightstone Decks (Fibrament)

Model	Part Number	Each/Per Set		Stones Per Oven
LIGHTSTONE Fibrament DECK (FC-816, Y-800) 1 ½”	T1337Y	Each		4
LIGHTSTONE Fibrament DECKS (FC-816, Y-800) 1 ½”	T1337X	Set of 4		
LIGHTSTONE Fibrament DECK (FC-616, Y-600) 1 ½”	T1336Y	Each		3
LIGHTSTONE Fibrament DECKS (FC-616, Y-600) 1 ½”	T1336X	Set of 3		
LIGHTSTONE Fibrament DECK (FC-516)	T1358Y	Each		2
LIGHTSTONE Fibrament DECKS (FC-516)	T1358U	Set of 2		
LIGHTSTONE Fibrament DECK (Y-800) 2”	T1382W	Each		5
LIGHTSTONE Fibrament DECKS (Y-800) 2”	T1382X	Set of 4		
LIGHTSTONE Fibrament DECK (Y-600) 2”	T1381Y	Each		3
LIGHTSTONE Fibrament DECKS (Y-600) 2”	T1381X	Set of 3		
LIGHTSTONE Fibrament DECK (4151)	T1354Y	Each		3
LIGHTSTONE Fibrament DECKS (4151)	T1354X	Set of 3		
LIGHTSTONE Fibrament DECK (251) 1.5”	T1355Y	Each		2
LIGHTSTONE Fibrament DECKS (251) 1.5”	T1355X	Set of 2		
LIGHTSTONE Fibrament DECK (451)	T1355Y	Each		3
LIGHTSTONE Fibrament DECKS (451)	T1355U	Set of 3		
LIGHTSTONE Fibrament DECK (351)	T1356Y	Each		2
LIGHTSTONE Fibrament DECKS (351)	T1356X	Set of 2		
LIGHTSTONE Fibrament DECK (3151)	T1357Y	Set of 2		2
LIGHTSTONE Fibrament DECKS (3151)	T1357X	Each		
LIGHTSTONE Fibrament DECK (151)	T1354Y	Each		2
LIGHTSTONE Fibrament DECKS (151)	call Customer Service	Set of 2		
LIGHTSTONE Fibrament DECK (4151)	T1354Y	Each		3
LIGHTSTONE Fibrament DECKS (4151)	T1354X	Set of 3		
LIGHTSTONE Fibrament DECK (E-3836)	T1361Y	Each		2
LIGHTSTONE Fibrament DECKS (E-3836)	T1361U	Set of 2		
LIGHTSTONE Fibrament DECK (E-5736)	T1361Y	Each		3
LIGHTSTONE Fibrament DECKS (E-5736)	T1361T	Set of 3		
In lieu of Cordierite				
Freight Class 60				



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bed@nt-rt.ru || сайт: <https://bakerspride.nt-rt.ru/>